


¹Hassan Hadi
M.A Al-Fatlawi

²Qaaser Mohsen
Khayoon

³Ali Jasim
Albhadly

⁴Ahmed Kamal
Ibrahim

AI-Enhanced Demand Response Strategies in Smart Grids: Toward Sustainable Energy Future



Abstract: - To accomplish a sustainable energy future, this article researches the consolidation of computerized reasoning (AI) into request reaction components inside smart grids. While considering the joining of sustainable power sources and expanding energy utilization, current energy frameworks depend altogether on load the executives and continuous energy request reaction. Conventional methodologies battle with the intricacies of dynamic energy situations. Results from the examination feature the worth of AI and ML for enhancing energy use. Versatile learning for energy proficiency, exact interest determining, continuous observing, and sustainable power source mix are completely made conceivable by these innovations. An intensive vision for the Smart Lattice is introduced, underscoring financial matters, proficiency, wellbeing, ecological obligation, security, and reliability. We check out at the benefits and downsides of incorporating energy stockpiling gadgets and the job of circulated framework insight. The determination gives a careful future vision to AI-enhanced request reaction in smart grids by featuring research issues connected with self-learning frameworks, complete robotization, self-recuperating grids, fitting and-play advances, network safety, and labor force improvement.

Keywords: Smart Grid, Demand Response, Artificial Intelligence, Machine Learning, Energy Efficiency, Renewable Energy Integration, Distributed Grid Intelligence, Energy Storage Systems, Grid Automation, Sustainable Energy.

1. INTRODUCTION

Energy request reaction and burden control progressively are vital parts of current energy frameworks, which requires an exhaustive handle of the perplexing elements and challenges included [1]. To maintain the strength, reliability, and productivity of energy networks all at once of rising energy utilization, mix of environmentally friendly power, request reaction, and burden control strategies, as well as an assortment of energy sources, is presently fundamental.

Adjusting one's energy use continuously to fluctuating organic market is alluded to as ongoing energy request reaction. Energy clients, including

Private, business, and modern associations, may change their power utilization examples to conform to matrix needs on the grounds that to this adaptability. Customers might limit energy bills, reduce top interest, and further develop matrix steadiness by effectively captivating sought after reaction programs.

To proficiently fulfill the different requirements of clients, working on the circulation and utilization of existing energy supplies is one more essential objective of burden the executives. It entails the wise booking and the executives of energy requests while taking conveyed energy asset incorporation, energy capacity frameworks, and season-of-purpose duties into account [2]. Diminishing waste, clearing up network blockage, and finding some kind of harmony among market interest for power are the targets.

Continuous interest reaction and burden the board, be that as it may, are seriously hampered by the mind boggling design of energy organizations, which are encapsulated by factor environmentally friendly power

^{1,2,3}Ministry of Oil, Petroleum Research and Development Center (PRDC). Iraq.

⁴Ministry of Oil. Iraq.

¹Hassan_hadima@yahoo.com, ²mohsencaeser@gmail.com, ³Ali.j.albhadly@gmail.com

⁴ahmed.kamal287@gmail.com

sources, an extensive variety of customer ways of behaving, and the requirement for fast navigation. Traditional strategies frequently miss the mark regarding completely using the capability of available assets and can't acclimate to dynamic energy conditions.

Subsequently, cutting edge innovation, for example, AI and ML has arisen as a useful answer for these issues. Man-made reasoning (AI), which incorporates various PC advances, has made it feasible for energy frameworks to keenly assess huge volumes of continuous information, distinguish examples, and go with fast choices [3]. A part of AI known as AI (ML) permits energy frameworks to investigate verifiable information, make forecasts, and tweak the executives strategies.

When applied to energy request reaction and burden the executives frameworks progressively, AI and ML innovations might give partners a few advantages. By considering factors like purchaser conduct, climate, and past patterns, these innovations take into account exact interest gauging, which upholds proactive burden control strategies [4]. Moreover, computer based intelligence and ML systems can adjust to changing energy circumstances through diligent learning and further developing energy utilization models, which further fosters the structure's strength and reliability. Load shedding and continuous energy demand response are essential components of modern energy systems. One outstanding methodology is to join artificial intelligence and ML innovation [5] to deal with the intricacies and take advantage of these structures. By consolidating cutting edge computational instruments with information examination, accomplices might modernize demand response systems, guarantee proficient utilization of current energy supplies, and empower exact weight assurance.

1.1. AI & ML Impact on Energy Optimization

Machine learning (ML) and artificial intelligence (man-made intelligence) are large advantages with regards to further developing energy use. By working with effectiveness, empowering shrewd route, and supporting the double-dealing of existing resources, these imaginative headways can possibly alter the energy market.

Artificial intelligence (man-made intelligence) permits energy systems to recognize plans, assess complex data plans, and expect results in view of the information that is now available. Simulated intelligence is a subfield of computer programming that utilizes a wide assortment of strategies and estimations. Artificial intelligence (simulated intelligence) takes into account the careful assessment of energy use models, making it conceivable to distinguish regions for development and progress. Likewise, energy systems can gain from information all alone, adjust to evolving conditions, and pursue choices in light of their own interconnected contributions because of artificial intelligence (simulated intelligence), a type of artificial cognizance. [6]. Enormous datasets may have examples, relationships, and irregularities naturally recognized by ML calculations, in a way that considers the disclosure of experiences that people would figure out testing or opportunity consuming. The utilization of AI and ML innovations to upgrade energy use has a huge number of benefits. As a matter of some importance, these innovations make exact and detailed energy request conjectures conceivable. Through the assessment of numerous components including meteorological circumstances, past utilization records, and social patterns, man-made brainpower (AI) and AI (ML) frameworks can give expectations that are tailored to the specific necessities of certain areas, periods, or client gatherings. Energy providers can now design and convey assets all the more productively, diminishing waste and forestalling the under or abuse of energy sources thanks to this superior gauging capacities [7]. Moreover, continuous energy use observing and control are made conceivable by AI and ML. Energy frameworks might gather gigantic volumes of information on natural circumstances, matrix dependability, and examples of energy use through the joining of smart sensors and gadgets empowered by the Web of Things (IoT). Then, at that point, utilizing AI calculations, this information might be handled right away and give valuable data to upgrading energy use. AI-based frameworks, for instance, can focus on energy conveyance as indicated by request, naturally alter energy stacks, and perceive any anomalies or shortcomings that should be fixed immediately [8]. Moreover, the smooth network joining of environmentally friendly power sources might be aided by AI and ML draws near. Since the development of environmentally friendly power is innately capricious attributable to climate and different factors, man-made brainpower (AI) calculations can predict examples of sustainable power yield and blend them with the energy requests, taking advantage of sustainable power sources while lessening dependence on petroleum derivatives.

AI calculations can possibly upgrade control frameworks for disseminated energy assets like sunlight based chargers and wind turbines by changing their creation continuously to fulfill energy needs [9].

Besides, AI and ML can possibly improve energy proficiency by means of the utilization of streamlining calculations and versatile learning. Through persistent information examination and gaining from framework execution, AI-based energy frameworks may independently upgrade energy use, revealing potential for load moving, request reaction, or energy stockpiling usage. These AI-and ML-fueled advancement methods bring about expanded network steadiness, lower energy costs, and less natural effect [10]. AI and ML rangingly affect energy use enhancement. Current advancements in this field consider more exact interest anticipating, control and checking progressively, consistent mix of environmentally friendly power sources, and versatile figuring out how to further develop energy effectiveness. Energy frameworks might arrive at new levels of flexibility, sustainability, and proficiency by utilizing AI and ML, making the way for a more shrewd and harmless to the ecosystem energy future.

1.2. Envisioning a Smarter Energy Grid

Future success in the public eye will be made conceivable by the Smart Framework. All gatherings should cooperate and be joined around a solitary objective to modernize the matrix as it currently exists. The American electric power circulation framework performed well for our country all through the twentieth hundred years, providing ventures, homes, and business environments with adequate and sensibly evaluated energy [11]. This beforehand state of the art framework provided the US with a level of abundance unparalleled by some other country on the planet. In any case, a twentieth century electric framework can't uphold a 21st-century American economy. The country's power dissemination framework desperately needs huge overhauls, and the progressions in basic specialized areas that would empower these improvements are additionally fundamentally required. To give the preparation to a shift that focuses on obtaining esteem in the accompanying six regions, a dream for the Smart Lattice is required:

- Expanded network unwavering quality is required. When and when customers need power, a reliable matrix conveys it at a quality they are OK with. It endures most of interruptions without breaking and gives a lot of notice of creating issues [12]. Preceding influencing most of clients, medicinal move is initiated.
- The lattice should be more secure. A protected lattice can get through digital and actual attacks without encountering exorbitant recuperation costs or huge disturbances. It additionally returns from interruptions quicker and is less helpless to normal catastrophes.
- The network should be more practical. The major standards of organic market oversee how a financial lattice capabilities, bringing about sensible evaluating and adequate supplies [13].
- Expanded network effectiveness is required. A productive network gives clients decisions for controlling how much energy they use while executing strategies that outcome in low transmission and circulation misfortunes, cost administration, proficient influence age, and ideal resource usage.

The grid ought to be greener in additional ways. Through capability gains and the blend of a further degree of broken endless resources than could some way or another be constantly sustained, a normally careful organization lessens its effect on the environment [14].

Security on the structure is a need. A safeguarded network is courageous of clients who rely upon it for principal clinical advantages and doesn't risk the general populace or lattice staff.

The making of a dream should start things out in the modernization of the nation's matrix, and afterward empowering mechanical stages should be carried out and smart framework applications should be coordinated to help the vision.

Table 1 lists the seven criteria, compares and contrasts the current grid with the Smart Grid's goal.

Table 1: Contrasting Today's Grid with the Smart Grid Vision [15]

Today's Grid	Principal Characteristic	Smart Grid
Because they lack knowledge, consumers do not interact with the electricity system.	Facilitates Customer Involvement	Complete pricing details are provided; choose from a variety of plans, costs, and purchasing and selling alternatives
central generating is predominant, with relatively little distributed generation and storage	Supports Every Generation & Storage Choice	Many just "plug and play." Central generation is supplemented by dispersed energy resources.
Few wholesale marketplaces and poor integration	Facilitates the Creation of New Markets	thriving, fully connected wholesale markets and the expansion of new markets for electricity
Pay more attention to outages than electricity quality.	Fulfills PQ Requirements	PQ is a focus, offering a range of alternatives in terms of price and quality based on demands.
Processes for asset management are combined with limited grid intelligence.	Maximizes Resources and Functions Effectively	Grid intelligence and asset management apps are deeply integrated.
Pay attention to asset protection after error	Self-Repair	prevents interruptions, reduces effect, and quickly restores
susceptible to natural catastrophes and terrorism	Absorbs Attack	Fast and effective deters, detects, mitigates, and restores

2. SMART GRID BENEFITS

There are a number of immediate, measurable advantages that the smart grid will provide, but there are also a number of additional noteworthy advantages that will become clear after the system are put into place [16]. The following long-term benefit assumptions are supported by strong evidence:

- Notable reductions in residential peak demand energy use made possible by combining cutting-edge in-home technology with real-time pricing and environmental information [17].
- Further decreases in peak demand for residential purposes by completing the utility system's integration with distributed generating technologies (scalable for mass penetration)
- Potential reduction in carbon footprint due to decreased residential peak demand and energy consumption, better distribution losses, and more conservation alternatives
- Optimal power factor performance and system balancing may reduce distribution losses by up to 30%.
- Potential decreases in the quantity of minutes that customers miss due to enhanced capacities to anticipate and/or avert such disruptions, as well as enhanced reactions to outages and recovery [18].
- Capital expenditures for distribution and transmission projects are anticipated to be postponed in light of better load forecasts and a decrease in peak load as a result of improved demand management.
- Potential savings on utility costs from automated and remote disconnects and reconnects by using home automation, unnecessary field visits may be eliminated, and customer outages and expensive calls can be decreased [19].

Today's utility business must not only provide resources to meet the anticipated rise in energy consumption, but also minimize and lessen the environmental effect of providing that energy. This problem is addressed by the smart grid. There are several rewards and advantages.

2.1. Smart Grid Platform

According to Shahram and Shahriar Javadi, the smart grid is essentially just a straightforward improvement over power grids from the 20th century, and "broadcast" electricity to many consumers from a small number of

central power plants [20]. Smart grid technology, on the other hand, allows for more efficient power routing in response to a vast array of situations.




Figure 4: Smart Grid Standards [21]

It is becoming more clear that a different approach to energy, one that goes beyond the use of coal, oil, and other fossil fuels, will lead to decentralized parts of the electrical grid—a far cry from the structured and centrally generated systems of the past.




Figure 2: Control Center in all parts of grid [22]




Figure 3: Integrated Communication System [23]

3. AI WITH A DECENTRALIZED NETWORK

Intelligent distribution of power grid resources is achieved via the use of advanced communication protocols. An intelligent, cooperative design may optimize energy resources and/or services to their fullest potential [24]. Energy management, configuring newly added resources to the system, and identifying and resolving abnormalities may all be handled with the aid of intelligent algorithms. Considering that the grid in most parts of the world has traditionally absorbed previous generations' energy and can only take so much more, the inclusion of scattered generations into smart grid design brings new challenges [25]. Three levels make up an intelligent distribution network: system level, residential customer level, and system level. A smart home's energy is managed by its smart gadgets, among which are smart meters (SM), electric vehicle chargers, energy management systems, and inverters. The second layer accomplishes tasks such as group load control, information sharing, and improving grid stability at the local level with the use of intelligent equipment like as smart switches and relays. The distribution system's sophisticated monitoring and control devices, which react to data and replies from the first two levels, are part of the system-level grid intelligence.

3.1. Prosumer-Focused Distributed Intelligence

The development of the power system makes it possible for energy to go in both directions in SG. In addition to producing and using power on their own, domestic energy consumers may share it with other grid users. On their homes, offices, and other commercial spaces, millions of people share their renewable energy resources [26]. In order to maximize economic gains, prosumers in an intelligent cooperative distributed energy resource (DER) power system will replace the notion of centralized, fossil fuel-fueled generating. Domestic users and a communal energy pool should be the basis of a smart residential community plan. In this model, consumers may benefit from economic energy without having to purchase numerous RES units by trading with the local energy pool.

Since the past ten years, when it comes to helping with real-time and quick demand response and making the most of distributed energy resources, the adoption of AI approaches has been skyrocketing in the energy industry. The goal of the grid operators is to maximize the efficiency of the power system by controlling "all the decisions to be made in the power grid," including the switching of relays and the controls of major generators. To do this, a system-wide network of sensors is used to reduce the impact of unwanted harmonics [27]. This is driving the development of intelligent algorithms that can adapt to both predictable and unpredictable disturbances via resilience, self-learning, and foresight. In order to facilitate informed decisions about energy trading, AI researchers are now focused on developing computationally efficient algorithms that can accurately predict how smart customers will use and produce electricity in relation to the present price of power [28]. In recent years, the energy sector has made use of expert systems, artificial neural networks (ANNs), and fuzzy logic to solve technical problems, anticipate energy use, prices, and identify issues. The reason for this is the rapid advancement of AI technology. In addition to smart home energy management, demand-side management (DSM) in general, and household energy management via DR programs, these approaches have other potential applications. Qiao et al. [29] proposed an electric energy metre optimization that takes into account independent and comparable scattered area load scenarios. They provide a deep learning-based fault library model and an error diagnostic analysis model in their work, which can guarantee to train the smart metre and can deeply anticipate the reason of error reported by the metre.

3.2. Generating Distributed Intelligence

The challenges that modern power distribution networks face include getting distributed energy resources to operate together, making renewable energy sources more widely accepted, making good plans, and coming up with operational strategies that might increase demand while decreasing emissions of greenhouse gases. This may be accomplished via improving grid dependability, taking socioeconomic effects into account, and optimizing resource adequacy [30]. Since the goal of SG technology is to improve the power system's resilience, self-organization, and troubleshooting capabilities, these complicated difficulties may be effectively handled. Installing intelligent decentralized energy units is only one aspect of the smart grid's many responsibilities. Other aspects include distributed production and storage capacity, automated regulation and optimization of distributed systems, bidirectional information and power flow, as well as PHEVs, or plug-in hybrid electric cars

[31]. So, it's clear that DERs aren't the only smart and advanced controllers needed to keep an eye on and run the distribution grid. Having to do with the administration and running of distributed generating, several investigations and studies have been conducted. Due to livability limits, the system becomes unstable if a certain benchmark is exceeded. Monitoring, fault detection, and energy management are all possible with distributed grid management. These days, well-addressed online voltage regulation is another worrying problem [32]. Traditionally built on the passivity hypothesis, power controllers in this paper's proposed distributed grid synchronization approach become more complicated as a result of the increased voltage profile volatility brought about by the widespread usage of distributed and renewable energy sources. Complex non-linear programming techniques, which rely on centralized computing strategies, have been used in the past to solve this issue.

Power system topologies with distributed operation include fault detection and restoration, converter management, energy management, and power management. Energy resources are often managed by the supervisory control and data acquisition (SCADA) system; however, due to security and operational delays, this centralised design proven to be practically unworkable [33]. Since today's grid and its interconnectivity are more complicated and need high speed and data processing, these systems have grown less successful since they usually necessitate human involvement for normal operations. Optimizing the workloads of different peers in a distributed system is the main objective of distributed load balancing techniques. Load balancing algorithm nodes communicate with distributed energy resources (DERs) and with each other to transfer loads from high-consumption zones to low-demand ones. Their loads are normalised by this movement, which strengthens the system's stability and resilience. The control of electrical networks using distributed intelligent systems and distributed state estimation (LQR controller) is the main topic of Monti et al.'s study [34]. Distributed data storage in SG security may benefit from blockchain technology and AI. Using the local energy trading market as a basis, Eck et al. [35] demonstrate how distribution grid operators might apply AI techniques to manage the widespread penetration of RES. In Table 1 we can see all of the AI approaches that are used for managing distributed grids.

Table 1: Techniques for AI-Assisted Distributed Grid Management

Ref.	Year	Objective	Used Techniques	Limitation
Johannesen et al. [36]	2019	Lower separate category levels (season and day of the week) and meteorological characteristics are correlated in load forecasting.	Three types of regression: linear, random forest, and k-nearest neighbours	Population and income growth variables, which significantly influence load demand, are not taken into account.
Neves et al. [37]	2018	Objectives for DR optimization on a solitary micro-grid	Optimization using linear programming and GA	Only a few appliances are taken into account, and PV integration is not taken into account.
Ahmad et al. [38]	2018	Forecast for energy demand	The FitcKnn classifier, the Stepwise Linear Regression Model, the Compact Decision Tree, and the Linear Regression Model	Useful for small-scale systems such as buildings and utility corporations, but inefficient for large-scale systems and long-term forecasting
Mocanu et al. [39]	2016	Forecasting energy use at the consumer level	In the realm of factored conditional restricted Boltzmann machines, there are two names: FCRBM and CRBM.	When there are more variables than there were in the original CRBM, the performance may suffer from the three fewer stages.
Utkarsh et	2016	Reduce the power	Distributed	Since decision variables

al. [40]		system's active power losses to a minimum.	computationally intelligent algorithm based on consensus	allocated to various agents are not included in the designer's degrees of freedom, insufficient communication channels may give rise to security concerns.
Macedo et al. [41]	2015	DSM to categorize each customer's load curve trends in order to provide financial advantages	ANN	Reduced user comfort for rewards
Ford et al. [42]	2014	Identification of energy fraud	ANN	When creating the model, non-technical losses on the customer's property are disregarded.
Vaccaro et al. [43]	2013	Managing voltage in real-time networks	Distributed consensus method using simulated annealing	Devices with fast-switching capabilities, load mobility, and problems with loose connections are not considered.
Asare et al. [44]	2013	Day-ahead load forecasting	ANN	Demand response applications, demand side management, and HEM system integration are not taken into consideration.
Ma et al. [45]	2013	maintaining a steady voltage profile and efficiently operating the power systems	GA	Slow convergence and a short search period could not provide highly qualified results.
Samadi et al. [46]	2012	Fair pricing based on data sharing between power companies and DSM	Groves-Vickrey-Clarke	Appliance scheduling might make customers feel less comfortable.
Colson et al. [47]	2011	Micro-grid energy control	An agent-based system (MAS)	Not displayed is the observer agent algorithm.

4. SYSTEM INTEGRATION OF ENERGY STORAGE

4.1. Prosumer ESS Integration

Future smart grids are anticipated to heavily rely on energy storage systems (ESS). They guarantee that customers get a steady supply of power and act as a backup for sporadic renewable energy sources. At the local level, they assist with the management of the distribution grid via cost reduction and increased efficiency. The local grid's peak home energy demand is lessened with the aid of ESS. Several demand response initiatives with incentives have been put out to promote the use of these substitutes [48]. By storing energy during off-peak hours and delivering it to consumers during on-peak hours, home energy storage systems (ESS) lessen the strain on the primary power grid and boost financial gains. By 2025, there will be about 75.4 billion connected gadgets linked to the Internet worldwide, according a Statistica estimate. The essential component of mobile phones and electric autos, batteries allow us to reduce carbon emissions while maintaining connectivity. The extensive use of energy storage systems (ESS) in the power grid would reduce carbon emissions from transportation and the power sector by 30% and ensure that 600 million people have access to electricity until 2030 [49].

The most effective approach to use green energy and minimize existing fossil fuel usage is to combine RES with ESS. This is an alternate method of addressing the RESs' erratic power production, which involves storing extra energy to meet demand during peak hours [50]. Reducing CO₂ emissions in transportation and production,

replacing fossil fuel-fueled power systems with dispatchable renewable energy, and providing off-grid access to electricity are the three areas where batteries are becoming more and more significant. Given that market prices and other variations in the economic system have a significant influence on supply chain operations; Economic dispatch with value-added features is available from ESS. In order to power the city's streetlights, Park et al. [51] propose an Intelligent LED system and dispersed/distributed storage devices based on micro-distribution ESS, ESS is playing a part in the smart city vision. Sharing storage might help users save money on investments and space. In order to maximize customer profits, In order to maximize the energy-charged/discharged, Rahbar et al. [52] provide an algorithm that employs the common ESS concept.

4.2. ESS Integration: Generation Side

Data and energy storage are given less attention in conventional grid systems, but an SG really appreciates both. The ESS is a crucial component that may alter the current grid's operation and architecture. For ESS to be implemented and used effectively, intelligent energy management solutions that can control the dispersed grid's dynamics are necessary [53]. It may provide tailored energy to each grid component at a distinct level, making the grid more reliable and smart. Energy storage technologies should be integrated into the electric grid, according to the authors, with the help of sensible financial and regulatory frameworks that facilitate the creation and implementation of storage-based smart grid systems that prioritize storage. In addition to lowering customer wholesale energy costs, it also helps to cut the investment needed for low-voltage distribution networks.

Voltage and frequency forecasting is very helpful in the SG concept since it ensures grid dependability. ANN technology is used to anticipate both voltage and frequency matching in order in order to manage the voltage and frequency integration issues of the local low-voltage distribution grid and the energy storage system (ESS) at their shared connection point [54]. The operator may charge and discharge distributed energy storage systems (ESS) in real-time to balance energy demand. This research presents a method for optimizing grid-connected and freestanding medium voltage MG that uses a non-sequential quadratic programming approach to simultaneously optimize DG and ESS. The goal is to decrease energy losses in the distributed system. The AI approaches utilized to integrate ESS are listed in Table 3.

Table 3: AI ESS integration methods

Ref.	Year	Objective Function	Used Techniques	Limitation
Massi et al. [55]	2018	Predicting the voltage and frequency at the local grid's and ESS's point of common coupling, or PCC	ANN	Stability problems in the presence of under voltage and over frequency are not taken into consideration
Ahmad et al. [56]	2017	HEM system optimized for the residential sector with RES and ESS	GA, binary PSO, BFO, WDO, and HGPO algorithms	The suggested method is inferior to the current strategies in terms of user satisfaction and peak to access ratio.
Sfikas et al. [57]	2015	decrease of annual energy waste and cost	Sequential quadratic programming	Losses at PCC and integration of RES are not taken into account.
Rahbar et al. [58]	2016	Manage shared ESS	Optimization using profit coefficient and convexity	Every user's fixed load profile is taken into account.
Sun et al. [59]	2014	balancing an electric grid in real time using distributed energy systems	Lagrange dual decomposition, FISTA, and Lyapunov optimization	Lacks a comprehensive mechanism for coordinating supply and demand while maintaining power balance.

5. CONCLUSIONS AND FUTURE OUTLOOK

With an accentuation on improving energy utilization for a sustainable energy future, this article offers a careful survey of interest reaction strategies in smart grids that are progressed by man-made brainpower. In the structure of the contemporary energy climate, which is characterized by different sources and rising utilization, Continuous energy request reaction and burden control are considered, alongside their convoluted elements and difficulties. Consolidating AI (ML) with man-made consciousness (AI) innovation offers a progressive method for taking care of the intricacy of energy frameworks [60]. There are numerous valuable chances to further develop lattice soundness, trustworthiness, and productivity. AI, with its ability to break down monstrous measures of ongoing information and pursue all around informed decisions, and ML, which permits frameworks to gain from past information for expectation and advancement, give these open doors. The review features the significance of AI and ML in energy improvement, exhibiting how they might change the energy business by working with astute direction, upgrading efficiency, and enhancing asset use. AI and ML innovations give a large number of benefits that prepare for a more clever and harmless to the ecosystem energy future. Exact interest determining, ongoing checking and control, versatile learning for energy effectiveness, and consistent coordination of sustainable sources are a portion of the benefits [61].

Dependability, security, economy, proficiency, natural benevolence, and wellbeing are only a couple of the basic regions for improvement in the Smart Matrix idea, which is depicted as a crucial empowering agent for a thriving society. The potential for a strong and successful energy framework is additionally expanded by the mix of dispersed network insight, smart lattice stages, and energy stockpiling gadgets [62]. The exploration issues and amazing open doors for additional request in the field of AI-enhanced smart grids are distinguished in the paper's decision. The way to a much smarter network requires handling these issues, which range from self-learning frameworks to add up to robotization, self-recuperating grids, attachment and-play advances, and digital protection concerns. Moreover, the requirement for a labor force with modern comprehension of future innovations is underlined. In rundown, this study progresses information on man-made consciousness' progressive job in impacting smart framework innovation and prepares for future innovative work in the chase after shrewd and sustainable energy arrangements [63].

5.1. Future Outlook

While there is much potential for the future of AI-enhanced demand response tactics in smart grids, there are still many obstacles to overcome. Future study should concentrate on how self-learning systems evolve and become more flexible in response to changing energy environments. One of the most important milestones in smart grid technology is the attainment of full automation, which includes defect detection, outage management, and effective integration of distributed energy resources (DERs). Self-healing grid systems need to be improved in order to increase resilience and reduce downtime during interruptions. Important topics include investigating plug-and-play technologies for Prosumer energy sharing and creating sophisticated cyber-security measures that use machine learning for threat detection [64]. Furthermore, the development of skills in line with developing technologies and grid intelligence must be given top priority in workforce development. In conclusion, developing very intelligent, adaptable, and robust energy infrastructures by ongoing research, innovation, and cooperative efforts across many stakeholders is the key to the future of smart grids. Future developments in grid management and artificial intelligence (AI) will be crucial in determining the nature of intelligent and sustainable energy systems.

REFERENCES

- [1] Kakran, S.; Chanana, S. Smart operations of smart grids integrated with distributed generation: A review. *Renew. Sustain. Energy Rev.* 2018, 81, 524–535.
- [2] Aghaei, J.; Alizadeh, M.I. Demand response in smart electricity grids equipped with renewable energy sources: A review. *Renew. Sustain. Energy Rev.* 2013, 18, 64–72.
- [3] Robert, F.C.; Sisodia, G.S.; Gopalan, S. A critical review on the utilization of storage and demand response for the implementation of renewable energy microgrids. *Sustain. Cities Soc.* 2018, 40, 735–745.
- [4] Couture, T.; Busch, H.; Hansen, T.; Guerra, F.; Murdock, H.E.; Ranalder, L.; Adib, R.; Andre, T.; Corcoran, F.; Corscadden, J.; et al. *Renewables in Cities; 2019 Global Status Report; c/o UN Environment Program, 1 rue Miollis: Paris, France, 2019.*

- [5] Newell, R.G.; Raimi, D. *Global Energy Outlook Comparison Methods: 2020 Update; Resources for the Future: Washington, DC, USA, 2020.*
- [6] Møller Andersen, F.; Grenaa Jensen, S.; Larsen, H.V.; Meibom, P.; Ravn, H.; Skytte, K.; Tøgeby, M. *Analyses of Demand Response in Denmark; Technical Report; Risø National Lab.: Roskilde, Denmark, 2006.*
- [7] Kirschen, D.S.; Strbac, G. *Fundamentals of Power System Economics; John Wiley & Sons: Hoboken, NJ, USA, 2018.*
- [8] Ackermann, T.; Andersson, G.; Söder, L. Distributed generation: A definition. *Electr. Power Syst. Res.* 2001, 57, 195–204.
- [9] Hernandez-Aramburo, C.A.; Green, T.C.; Mugniot, N. Fuel consumption minimization of a microgrid. *IEEE Trans. Ind. Appl.* 2005, 41, 673–681. [CrossRef] 11. Afgan, N.H.; Carvalho, M.G. Sustainability assessment of a hybrid energy system. *Energy Policy* 2008, 36, 2903–2910.
- [10] Arnold, G.W. Challenges and opportunities in smart grid: A position article. *Proc. IEEE* 2011, 99, 922–927.
- [11] Alizadeh, M.; Li, X.; Wang, Z.; Scaglione, A.; Melton, R. Demand-side management in the smart grid: Information processing for the power switch. *IEEE Signal Process. Mag.* 2012, 29, 55–67.
- [12] Palensky, P.; Dietrich, D. Demand side management: Demand response, intelligent energy systems, and smart loads. *IEEE Trans. Ind. Inform.* 2011, 7, 381–388.
- [13] Eissa, M.M. Demand side management program evaluation based on industrial and commercial field data. *Energy Policy* 2011, 39, 5961–5969.
- [14] Johannesen, N.J.; Kolhe, M.; Goodwin, M. Relative Evaluation of Regression Tools for Urban Area Electrical Energy Demand forecasting. *J. Clean. Prod.* 2019, 218, 555–564.
- [15] Ahmad, T.; Chen, H. Utility Companies Strategy for Short-Term Energy Demand Forecasting using Machine Learning Based Models. *Sustain. Cities Soc.* 2018, 39, 401–417.
- [16] Mocanu, E.; Nguyen, P.H.; Gibescu, M.; Kling, W.L. Deep Learning for Estimating Building Energy Consumption. *Sustain. Energy Grids Netw.* 2016, 6, 91–99.
- [17] Ford, V.; Siraj, A.; Eberle, W. Smart Grid Energy Fraud Detection using Artificial Neural Networks. In *Proceedings of the IEEE Symposium on Computational Intelligence Applications in Smart Grid (CIASG), Orlando, FL, USA, 9–12 December 2014.*
- [18] Vaccaro, A.; Zobaa, A. Voltage Regulation in Active Networks by Distributed and Cooperative Meta-Heuristic Optimizers. *Electr. Power Syst. Res.* 2013, 99, 9–17.
- [19] Asare-Bediako, B.; Kling, W.L.; Ribeiro, P.F. Day-Ahead Residential Load Forecasting with Artificial Neural Networks using Smart Meter Data. In *Proceedings of the IEEE Grenoble Conference, Grenoble, France, 16–20 June 2013.*
- [20] Samadi, P.; Mohsenian, H.; Schober, R.; Wong, V. Advanced Demand Side Management for the Future Smart Grid using Mechanism Design. *IEEE Trans. Smart Grid* 2012, 3, 1170–1180.
- [21] Colson, C.; Nehrir, M.H. Algorithms for Distributed Decision-Making for Multi-agent Microgrid Power Management. In *Proceedings of the IEEE Power and Energy Society General Meeting, Detroit, MI, USA, 24–28 July 2011.*
- [22] Massi, P. An ANN based Grid Voltage and Frequency Forecaster. In *Proceedings of the IET International Conference on Power Electronics, Machines and Drives, Liverpool, UK, 17–19 April 2018.*
- [23] Sfikas, E.E.; Katsigiannis, Y.A.; Georgilakis, S. Simultaneous Capacity Optimization of Distributed Generation and Storage in Medium Voltage Microgrids. *Int. J. Electr. Power Energy Syst.* 2015, 67, 101–113.
- [24] Sun, S.; Dong, M.; Liang, B. Real-Time Power Balancing in Electric Grids with Distributed Storage. *IEEE J. Sel. Top. Signal Process.* 2014, 8, 1167–1181.
- [25] Mohsenian-Rad, A.H.; Wong, V.W.; Jatskevich, J.; Schober, R.; Leon-Garcia, A. Autonomous demand-side management based on game-theoretic energy consumption scheduling for the future smart grid. *IEEE Trans. Smart Grid* 2010, 1, 320–331.
- [26] Morgan, M.G.; Talukdar, S.N. Electric power load management: Some technical, economic, regulatory and social issues. *Proc. IEEE* 1979, 67, 241–312.
- [27] Sharifi, R.; Fathi, S.; Vahidinasab, V. A review on Demand-side tools in electricity market. *Renew. Sustain. Energy Rev.* 2017, 72, 565–572.
- [28] Conchado, A.; Linares, P. The economic impact of demand-response programs on power systems. 2012; pp. 281–301.
- [29] Shoreh, M.H.; Siano, P.; Shafie-khah, M.; Loia, V.; Catalão, J.P. A survey of industrial applications of Demand Response. *Electr. Power Syst. Res.* 2016, 141, 31–49.
- [30] Esther, B.P.; Kumar, K.S. A survey on residential demand side management architecture, approaches, optimization models and methods. *Energy Rev.* 2016, 59, 342–351.